

Pre-Molded TPO Pipe Boots

Item Description

White
Gray
Tan

Item Number

W590030081
W590030082
W590030253



Product Information

Description

The GenFlex Pre-Molded Pipe Boot is specifically designed for the flashing of round penetrations on TPO installations. The GenFlex Pre-Molded Pipe Boot fits various penetrations from 1" (25 mm) to 6" (150 mm). It must be cut to correct size before installation.

Typical Properties	
Property	Values
Material	Thermoplastic Polyolefin (TPO)
Color	White, Tan, Gray
Clamp	Stainless Steel – worm gear type
Pipe Flange	13" (330 mm) diameter
Thickness	0.055"-0.075" (1.4 mm – 1.9 mm)

Fits the Pipe Outside Diameter	
	1" (25 mm)
	1½" (38 mm)
	2" (51 mm)
	3" (76 mm)
	4" (102 mm)
	5" (127 mm)
	6" (152 mm)

Method of Application

1. GenFlex TPO membrane shall be clear of all dust, dirt and other contaminants prior to installation of the GenFlex Pre-Molded Pipe Boot.
2. Penetration shall be clean of foreign material and any old flashing materials.
3. Cut out a circle, above the rib, on the outside of a level ring of the GenFlex Pre-Molded Pipe Boot that is smaller than the penetration.
4. Heat-weld the flashing into place and install the clamp and sealant per current GenFlex TPO specifications.

Storage

Store material in its original unopened packaging away from sources of physical damage or chemical contamination.

Precautions

Do not install over uneven substrates.

Product Packaging

Units per Carton: 10 Pre-Molded Pipe Boots, 10 Stainless Steel Clamps

*LEED® Information

Recycled Content:

Post-Consumer 0%
Pre Consumer 0%

Manufacturing Location: Wellford, SC

*NOTE: LEED® is a registered trademark of the U.S. Green Building Council.

Please contact Quality Building Services Technical Department at 1-800-443-4272 option 1, for further information.

This sheet is meant to highlight GenFlex products and specifications and is subject to change without notice. GenFlex takes responsibility for furnishing quality materials which meet published GenFlex product specifications. Neither GenFlex nor its representatives practice architecture. GenFlex offers no opinion on and expressly disclaims any responsibility for the soundness of any structure. GenFlex accepts no liability for structural failure or resultant damages. Consult a competent structural engineer prior to installation if the structural soundness or structural ability to properly support a planned installation is in question. No GenFlex representative is authorized to vary this disclaimer.