



Technical Bulletin

Marketing Bulletin

Product Bulletin

Pricing Bulletin

News Release

WHAT'S NEW

SEPTEMBER 8, 2011

To: Genflex valued customers in California

SUBJECT: GENFLEX ROOFING PRODUCT EXCHANGE

TO: DISTRIBUTORS

It has come to our attention that certain GenFlex brand roofing adhesives, sealants, and primers that exceed certain VOC limits have been shipped into the state of California, and in some instances may be available for sale in air quality management districts where they cannot be used. Even though these products are properly labeled, because they exceed some of the California air quality management districts' VOC limits and thus cannot be used in those districts, we have decided to exchange them for products meeting those limits. The products with VOCs in excess of applicable limits in some California air quality management districts are the following:

- 1. EPDM Bonding Adhesive, W59 001 0152
- 2. EPDM Bonding Adhesive LVOC, W59 001 0173
- 3. TPO Bonding Adhesive LVOC, W59 003 0098
- 4. TPO Bonding Adhesive, W59 001 0076
- 5. All Purpose Bonding Adhesive, W59 001 0158, W59 001 0157
- 6. GenSplice Adhesive, W59 001 0148
- 7. TPO Edge Sealant, W59 003 0022, W59 003 0211, W59 003 0255
- 8. Clear Primer, W59 003 0025, W59 003 0088, W59 003 0089
- 9. GenPrime, W59 001 0143, W59 001 0141

10. Cleaner W59 001 0093 – At this time, GenFlex does not produce an LVOC substitute for Cleaner W59 001 0093. Although Acetone is a like-substitute for Cleaner W59 001 0093, it is available by others. GenFlex will issue credits for Cleaner W59 001 0093.

To assist in this matter, GenFlex is implementing an exchange program. Please note that this program will be implemented immediately. GenFlex will discontinue shipping the above ten products into California. GenFlex Distributors will be contacted by a designated GenFlex representative within the next 5-7 business days to determine the quantity of products you may need exchanged with products that comply with the VOC limits.



TO: CONTRACTORS

Please note that GenFlex Roofing Systems offers one of the widest range of Low VOC Adhesives and Sealants for commercial roofing that meet the most stringent air quality requirements in the country, and, in particular, in California. The following products comply with these stringent VOC content limits:

- 1. EPDM Water Based Bonding Adhesive, W59 001 0099
- 2. All Purpose Water Based Bonding Adhesive, W59 001 0155, W59 001 0154
- 3. TPO FB Bonding Adhesive, W59 003 0095
- 4. Clear Primer LVOC, W59 003 0094
- 5. GenPrime LVOC, W59 001 0175
- 6. Termination Caulk, W59 001 0172
- 7. TPO Edge Caulk LVOC, W59 003 0027
- 8. Water Stop, W59 001 0160
- 9. EPDM Edge Caulk LVOC, W59 001 0159
- 10. FlexWhite Edge Caulk, W59 003 0105
- 11. Pourable Sealer, W59 001 0139
- 12. One Step Pourable Sealer, W59 001 7088
- 13. One Step Insulation Adhesive, W59 001 0132
- 14. Available Oct 1, 2011 TPO Edge Sealant LVOC

If you have a roofing job in California, please refer to the California Air Resources Board link http://www.arb.ca.gov for local California Air Quality Management District rules and regulations to help you determine which adhesives, sealants and primers you may use in California. Alternatively, please refer to the attached "Product Selection Guide for California" or contact your territory sales manager who can also assist you in selecting alternative products.

Please feel free to contact GenFlex Roofing Systems if you have any questions regarding this matter.

Thank you,

Eric Ziemba

General Manager


Eric P. Ziemla



GenFlex Single-Ply Roofing Product Selection Guide for California

Air Districts
Amador
Antelope
Bay Area
Butte
Calaveras
Colusa
El Dorado
Feather River
Glenn
Great Basin
Imperial
Kern
Lake
Lassen
Mariposa
Mendocino
Modoc
Mojave
Monterey
North Coast
Northern Sierra
Northern Sonoma
Placer
Sacramento
San Diego
San Joaquin
San Luis Obispo
Santa Barbara
Shasta
Siskiyou
South Coast
Tehama
Tuolumne
Ventura
Yolo-Solano





Revised: April 28, 2011

Adhesives	Part Number W59	VOC Content (g/L)	Applicable Membrane Systems			Areas Accepted		
			GenFlex	GenFlex	GenFlex	Areas Accepted		
			EPDM	TPO	Fleece Backed TPO	Red	Yellow	White
EPDM Water Based Bonding	001 0099	17	✓			Yes		
All Purpose Water Based Bonding Adhesive	003 0050	8	✓	✓			Yes	
TPO FB Bonding Adhesive	003 0095	206			✓			
TPO Bonding Adhesive LVOC	003 0098	638 ¹		✓				Yes
EPDM Bonding Adhesive LVOC	001 0173	638 ¹	✓					
EPDM Bonding Adhesive	001 0152	633	✓				No	
TPO Bonding Adhesive	001 0076	682		✓				

¹ - VOC content is <250 g/L in districts that exempt tBAC.

Sealants	Part Number	VOC Content (g/L)	Applicable Membrane Systems				Areas Accepted	
	W59		GenFlex EPDM	GenFlex TPO	GenFlex Fleece Backed TPO	Red	Yellow	
Termination Caulk	001 0172	111	✓	✓	✓	Yes		
TPO Edge Caulk LVOC	003 0027	< 250		✓	✓			
Water Stop	001 0160	53	✓	✓	✓		Yes	
EPDM Edge Caulk LVOC	001 0159	< 250	✓				res	
FlexWhite Edge Caulk	003 0105	< 250	✓					Yes
Pourable Sealer	001 0139	0	✓	✓	✓			
TPO Edge Sealant (W)	003 0022	450		✓	✓	No		1
TPO Edge Sealant (G)	003 0211	450		✓	✓		No	
TPO Edge Sealant (T)	003 0255	450		✓	✓			

Primers	Part Number W59	VOC Content (g/L)	Applicable Membrane Systems				- Areas Accepted		
			GenFlex	GenFlex	GenFlex	Areas Accepted			
			EPDM	TPO	Fleece Backed TPO	Red	Yellow	White	
Clear Primer LVOC	003 0094	233	✓	✓	✓	Yes	Yes		
GenPrime LVOC	001 0175	< 250	✓						
Clear Primer	003 0025	640	✓	✓	✓	No		Yes	
Cleaner	001 0093	750	✓	√	✓		No		
GenPrime	001 0143	664	✓						